

# Datasheet

# Panserin 293S

# Serum-free Medium for HEK-293 Cells in Suspension

Product	Description	Catalogue-No.	Size
Panserin 293S	Ready-to-use medium for the serum-free cultivation of HEK-293 cells in suspension	ST04-710609M ST04-710609 ST04-71060910	100 ml 500 ml 10 L

# Product description

Panserin 293S is a complete ready-to-use medium for the serum-free cultivation of HEK-293 cells (Human Embryonic Kidney) in suspension culture.

#### Storage conditions

Storage:	2°-8°C
Stability:	1 year from date of production
Size:	100 ml, 500 ml, 10 L, other sizes on request

#### Composition

Based on DMEM/F12 medium additional trace elements, cholesterol and plant hydrolysates have been added. Panserin 293S does not contain any proteins or components of human origin.

# Special advantages


Panserin 293S is a particularly enriched medium optimized for the growth of HEK-293 cells in suspension culture and quickly provides high cell densities. Due to its protein-free formulation the purification of final products (recombinant proteins, viruses) from the cell culture is more convenient and economic. Cell clustering – often seen in serum-free suspension cultures – will be reduced significantly in Panserin 293S.

#### Instructions for use

A switch from adherent serum-containing medium to Panserin 293S is often possible without adaptation. For those clones which do not tolerate a direct switch we recommend a primary culture with serum containing medium and a stepwise reduction of serum towards a serum-free cultivation with Panserin 293S.

- Subculture the cells from serum-supplemented medium to Panserin 293S using standard techniques when cells are in the log phase. Count cells and determine viability to seed in prewarmed Panserin 293S.
- Resuspend the cells in pre-warmed Panserin 293S at a density of 5x10<sup>5</sup> cells/ml in suspension culture flasks.
- Allow the cells to adapt to Pansern 293S for an additional 4-6 passages. Cells are fully adapted to Panserin 293S when growth rates return to normal densities and viabilities are above 95%.
- Continue to subculture cells in Panserin 293S at a density of 2-5x10<sup>5</sup> cells/ml into shaker or spinner flasks.
- HEK 293 cells in Panserin 293S are usually grown at 37°C and 5% CO<sub>2</sub>.





# **Technical support**

For technical support, questions or remarks please contact your local PAN-Seratech partner or the technical department of PAN-Seratech via email (<u>info@pan-seratech.com</u>) or phone +49-8543-601630.

FOR RESEARCH USE ONLY! Not approved for human or animal diagnostic or therapeutic procedures.